

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	910644	(siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:16
L2	18200	(siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal\$4 with decod \$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:17
L3	7513	(siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal\$4 with decod \$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:17
L4	1062	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:17
L5	6	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and wak \$3 same sleep\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:19
L6	37	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:25
L7	1	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:55
L8	310	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:56

L9	0	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and wak\$ near4 up and sleep\$3 near4 mode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:56
L10	0	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and wak\$ and sleep\$3 near4 mode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:57
L11	0	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and wak\$ same sleep\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:57
L12	0	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and wak\$3 same sleep\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:58
L13	0	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and wak\$3 with up	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:58
L14	1	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal \$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and sleep\$3 with mode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 12:59

L15	7	detect\$4 with (siz\$3 or length\$3 or measur\$5 or dimension or magnitud\$1 or proportion) with signal\$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls. and destination near4 address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:01
L16	220	detect\$4 with (siz\$3 or length\$3) with signal\$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:06
L17	31	detect\$4 with siz\$3 with signal\$4 with decod\$3 and @ad<"19990105" and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:07
L18	99	detect\$4 with siz\$3 with signal\$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:07
L19	0	detect\$4 with siz\$3 with signal\$4 with factor\$3 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:07
L20	2	detect\$4 with length with signal\$4 with factor\$3 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:08
L21	99	detect\$4 with siz\$3 with signal\$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:10
L22	512	detect\$4 with length\$3 with signal\$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:49
L23	0	detect\$4 with length\$3 with signal\$4 with decod\$3 and @ad<"19990105" and wak\$3 same speep\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:49
L24	0	detect\$4 with length\$3 with signal\$4 with decod\$3 and @ad<"19990105" and wak\$3 same sleep\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:50
L25	2	detect\$4 with length\$3 with signal\$4 with decod\$3 and @ad<"19990105" and wak\$3 with up	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:50

L26	0	detect\$4 with length\$3 with signal\$4 with decod \$3 and @ad<"19990105" and "709"/\$.cls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:51
L27	14	detect\$4 with length\$3 with signal\$4 with decod \$3 and @ad<"19990105" and destination near4 address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:52
L28	0	detect\$4 with length\$3 with receiv43 with signal \$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:53
L29	156	detect\$4 with length\$3 with receiv\$3 with signal \$4 with decod\$3 and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:53

6/ 11/ 2009 4:23:44 PM